

Post Padding Quote Request

Please fill in this form electronically or manually, **Save As** (or scan) **'Your Job Name'**.
Submit to sales@kelmatt.com.au **with accompanying photos**.

Refer to the 'Post Padding Information' page for in-depth explanations relating to post shape, pad height, style and colour options.

Date: _____

i

Customer Details

Organisation Name

Contact Person

Phone

Email

ii

Delivery Details

Delivery Method (check 1 box)

- ☐ Kelmatt Courier
☐ Customer Pick-up
☐ Own Courier


Deliver to
 (Non-residential address preferred)

iii

	Shape Refer to 'Fig.1' Select A,B,C,D,E or F from drop- down menu.	Measure Provide circumference measurement for round post. For other shapes, provide w (width) and d (depth) in mm.	Pad Height See Post Padding Info page for recommended height according to application, or choose your own height.	Style Select Flat Wrap or Shaped from drop- down menu.	Colour/Print Choose from single colour PVC range or write DP (digital print).	Quantity List the number of units required for each pad size.	Photo If you have attached a photo, tick the box.
#1.							☐
#2.							☐
#3.							☐
#4.							☐
#5.							☐
#6.							☐
#7.							☐
#8.							☐
#9.							☐
#10.							☐
Number of Pads (Total):							

Fig.1 Post Shape

We describe a post's shape as being the shape presented
if the post were cut through, and or, viewed from above.



Comments / Additional Requirements:

Post Padding Information

Further enquiries: sales@kelmatt.com.au

KELMATT

Kelmatt post pads are constructed in Australia, using high quality, durable materials.

Outer covers are made from reinforced PVC, available in a range of colours. Full colour digital print is also available.

Your Kelmatt post pads will contain open cell foam supplied by Joyce, the market leader in environmentally conscious foam manufacturing. Standard foam thicknesses apply to most popular applications. As all Kelmatt post pads are made to order, the option for greater foam wall thickness is always available.

Standard fixing feature is Velcro flap, however, various fixing options are available such as:- Velcro Tabs, Lace-Up Flaps, Hose Clamp Collars.

fw

Flat Wrap Pads

Post pads containing **flat foam** are referred to as 'Flat Wrap Pads'. This style of pad gets wrapped around a post at the time of install, and is usually left in place once installed.



Internal foam

Finished Pad

Installed Pad

- Standard foam thickness - 50mm
- Standard fixing - Integrated Velcro flap
- Fits most post shapes

sh

Shaped Pads

Pads made with **shaped/contoured foam** contain custom, sculpted, foam, which hugs the post. This popular style of pad looks amazing, and, is easy to fit and remove over and over again.



Internal foam

Finished Pad

Installed Pad

- Standard foam thickness - 50mm
- Standard fixing - Integrated Velcro flap
- Foam custom cut to shape of post

3 Quick Steps To Guide Your Quote Request

1. Identify your post shape, and, correctly measure as per the 'pm' table below. Accompanying photos are recommended.


2. The 'rh' table recommends height, and, style i.e. Flat Wrap ● or Shaped ●.

3. Select colours from our PVC range, or, talk to us about print and clear-coat.

Click below to download colour swatches.

pm

Post Shape & Required Measurements



rh

Recommended Height

APPLICATION	HEIGHT	STYLE
Kinder / Childcare	1.5m	●
Primary School	1.9m	● ●
Secondary School	1.9m	● ●
Basketball	2.5m	● ●
Netball with ring support strut	2.7m	●
Netball no ring support strut	3.0m	●
AFL	2.5m	●
Rugby	1.83m	●
Tennis Light Posts	1.9m	●

co

Colour & Print Options

COLOURED PVC

DIGITAL PRINT ON PVC

Single Colour

Full Colour CMYK




Measuring a 'Double Post'

1. Always measure each post individually.
2. Circular and elliptical posts need to be measured around; that is a circumference measurement.
3. Square and rectangular posts must have a width and depth measurement.
4. The gap between posts must be noted.

dp


Find your 'Double Post' combo type in the table below.
Fill the blank spaces with your measurements.
Send the information to Kelmatt.

Circle / Square




Circumference: _____
Gap: _____
Width: _____
Depth: _____

Circle / Circle



Circumference: _____
Gap: _____
Circumference: _____

Square / Square



Width: _____
Depth: _____
Gap: _____
Width: _____
Depth: _____